

V-10 DOUBLE FLAT CLAY ROOFING TILE

MULTI-PURPOSE LARGE FORMAT TILE, PERFECT FOR ALL TYPES OF PROJECTS



Please note roof tile image is for illustration purposes only.

The all - **New V-10** is a double interlocking flat clay roof tile. The appealing aesthetics of a small format tile with the economy and ease of installation of a large format model and is available in a range of colours, finishes and fittings.

roofingdistributionuk.com

RDUK
ROOFING DISTRIBUTION UK

DOUBLE INTERLOCKING CLAY ROOF TILE . . .



V-10
FLAT CLAY
TILE IN
MATT
BLACK

V-10
FLAT CLAY
TILE IN
TOSCANA

Whatever your needs, from traditional rustic pantiles to beautiful small and large format clay tiles, we have a wide choice of roofing materials all proven to compliment any type of project.

The double interlocking V-10 clay roof tile is the result of combining two small-format tiles into a single tile with its mock bond feature. This major technical innovation offers both the good looks of small tiles and the rapid installation of large format tiles.

This 2 in 1 tile is the result of different technical aspects which we judge to be indispensable to the installation and durability of a roof.

- > **High - quality clay**
- > **Minimum roof pitch 17.5°**
- > **Only 10.3 tiles per m²**
- > **Long term durability**
- > **Eco friendly**
- > **Low maintenance**
- > **Wide range of fittings**
- > **Quick, easy & secure installation**

Once installed, the appearance of the double V-10 is very similar to that of a plain tile. It offers all the quality and durability of our interlocking tiles.

Moreover, thanks to its side interlocks and its invisible outlets, it offers outstanding water tightness and can be installed at roof pitches as low as 17.5°.

A STUNNING COLLECTION OF COLOURS . . .

TECHNICAL DATA

Size of tile	415.5mm x 303.2mm
Tile covering size	388.8mm x 237.5mm
Minimum pitch*	17.5°
Maximum pitch	90°
Tile thickness	11mm
Coverage	10.3 to 11.4 tiles/m ²
Batten Gauge	225 to 250mm
Battens m ²	4 to 4.4 Linea m ²
Batten size	50mm x 25mm
Headlap variation	25.0mm
Middle cover width	388.8mm
Shunt	3.0mm
Tile weight	3.66 kg
Authority	BS EN 1304
Nails - ring shank aluminium alloy:	45 x 3.35mm

*The minimum recommended pitch and lap may be influenced by special circumstances, please contact our sales team.



COLOUR AVAILABILITY

RDUK Schermbecker range of colours and finishes.



Natural Red



Toscana



Dark Rustic



Matt Black

Colour deviations:

Our clay roofing tiles are environment-friendly building materials. When using natural raw materials you may experience colour deviations. This is often the case with naturally red tiles since the fired colour is the sole result of natural raw materials with no added metal oxides to change the colour. Deviations are also possible in the colours for reasons and limitations relating to printing methods. Clay roof tile surfaces: Minor impairments to the surface are possible due to transport or site handling. This does not effect the overall quality or performance of the tiles. (Jan 2024)



Technical Support



Need help with your roof?
Please contact our team of experienced professionals.

Customer Service



Telephone: 01375 397 140
Opening times:
Mon - Fri: 8.00am to 5.00pm

Shermbecker Guarantee




Complete peace of mind
with our 30 year guarantee
Ask for details.

V-10 ACCESSORIES CLAY FITTINGS, RIDGES AND SPECIAL TILES

McCann Schermbecker manufacture a wide selection of clay roof tile fittings and accessories. The V-10 special tiles are available in a selection of colours designed to match your roof. For further details please call us on 01375 397140.


STANDARD TILES, VERGE TILE AND CLOAKED VERGE TILES




Standard Tile



Quarter Tile
Finishing tile



Half Left Hand Cloaked Verge Tile



Half Right Hand Cloaked Verge Tile


RIDGE AND HIP TILES




Half Round Ridge
(2.4 pcs/m)




Block End Ridge




Interlocking Ridge
(3 pcs/m)




Starter Interlocking Ridge



End Interlocking Ridge




Tapered Ridge



Tapered Hip Starter

VENT TILES AND TILE FIXING CLIPS



Clay Vent Tile

with connecting spigot (Length 65mm - Width 100mm)



In Line Vent Tile

TBC



Fixing Clip

TBC



Verge Clip

TBC



Tapered Hip Clip
TBC



Universal Eave Clip
No. 436a



Ridge Fixing Clip
TBC



Fixing Nail
45 x 3.35mm

All sizes are approx. Tolerances according to DIN EN 1304.
Covering sizes are to be determined on site. Subject to technical changes.
Site specific fixing specifications are available on request.

Please note: Mix tiles from at least 3 different pallets of tiles when loading out.

01375 397 140

sales@roofingdistribution.com

roofingdistributionuk.com

RDUK
ROOFING DISTRIBUTION UK

Roofscaping at its best

For more information on our **roofing tiles** or to order a **FREE** tile sample contact the RDUK team today.

roofingdistributionuk.com